



# DANISH HEATING IDEAS



# CONTENTS

Scan identity	4
---------------	---

## WOOD STOVES

---

Scan 1003 BOX	6
Scan 41	8
Scan 65	10
Scan 66	14
Scan 68	20
Scan 80	26
Scan 83	28
Scan 84 - NEW PRODUCT	32
Scan 85	36
Scan 87 - NEW PRODUCT	40

## WOOD INSERTS

---

Scan 1003 & 1004	44
Scan 1005 & 1006	46
Scan 1008	48
Scan 5001	50
Scan 5002	52
Scan 5003	54
Scan 5004	56
Scan DSA 12	60

## TIPS AND TECHNICAL INFORMATION

---

Environmental benefits	19
Before buying a wood stove	42
Technical summary	62





# DANISH HEATING IDEAS

Scan constantly works to improve its products as much as possible. We reserve the right to make technical changes and change colours and accessories without prior notice. Several of the stoves in this catalogue are illustrated with extra equipment.

 [Facebook.com/scanstoves](https://www.facebook.com/scanstoves)

 [@scanstoves](https://www.instagram.com/scanstoves) #scanstoves

YOUR NEW FLAME



Enjoying the warmth from a perfect flame behind the stoves glass is the ultimate form of relaxation and enjoyment.

Our design process focuses on creating extremely beautiful images of the flame so you always get the best view

# INNOVATION AND DESIGN

Ever since the company was founded in Odense in 1978, we at Scan have focused on offering our customers the best wood-burning stoves on the market, paying particular attention to design, innovation, and user-friendliness. For us it is not just about warmth but about delivering a perfect flame, enclosed in a design-conscious piece of furniture to suit the majority of homes. The combination of Danish design, brave ideas, and an eye for detail has turned Scan into a leading brand in wood-burning stoves.

DANSISH DESIGN



## NEW THINKING



For Scan, heating is more than just a practical or aesthetic matter. We see our stoves as innovative pieces of furniture that suit a modern lifestyle.

Through creativity, an eye for detail and the courage to try out new ideas we have pushed ahead and shown the way both in terms of user-friendliness and the environment. Scan was the first to introduce sliding doors, glass with a 90 degree angle, and glass handles for inserts.



Denmark has a rich design tradition, which Scan is part of. We exclusively use Danish designers to create our stoves, thus ensuring totality and the right expression. Consequently, you can always recognise Scan by the clean lines, which are typical of good Danish design.

We also have a tradition of setting new standards, and our designers approach every challenge with the aim of creating something new. This has meant that Scan has constantly gained international recognition, and we have won several design awards for our workmanship.



At Scan we are focused on the details and put our soul into even the smallest things. With our critical eye and constant search for perfection, we have created revolutionary forms and technical solutions for the benefit of our customers.

By integrating the handles in the design and ensuring easy operation, we have combined form and function. This is one of many examples of what we call a "smooth finish".

## DETAILS

SCAN 1003 BOX VE



## SCAN 1003 BOX VE


# CUSTOMIZABLE AND UNIQUE

Create your wood stove from a variety of combinations: version with pyres of different sizes or without pyres, with or without bases!

Personalize your Scan 1003 by adjusting the modules according to your interior, your desires and your needs. This designer wood stove combines aesthetics and practicality. The pyres initially intended for the storage of your logs were also thought of as decorative elements. Frame, books, objects will be welcome.



*Floating flames*



*Simple assembly*



*Storage solutions*

HxWxD: 572x649x479 mm

Weight: 149 kg

Nominal output: 7,7 kW

Energy Class: **A**

SCAN 41





## SCAN 41

# STYLISH DANISH DESIGN

We have designed a minimalist stove with a cool handle. The design fits into several types of interiors. The stove is available with or without side glass, allowing you to choose even better visibility to the flames.

Scan 41 is easy to open, even when you're carrying a pile of logs. The vertical handle is the sophisticated detail of Scan 41. The stove is user-friendly with an ash-solution.

Scan 41 extends only 42 cm from the combustible wall and is therefore easy to place in the room.



*Scan 41-1 is available in black paint and with glass front door.*



*Space for firewood in the base.*



*Scan 41-2 is available in black paint and with glass front door and side glasses.*

HxWxD: 1136x490x371 mm

Weight: 119 kg

Nominal output: 6 kW

Energy Class: without Side glasses **A+**

with Side glasses **A**

This product is DEFRA exempt and suitable for use in smoke control areas

## SCAN 65

# FUNCTIONAL WOODSTOVES

The Scan 65 series is a collection of wood-burning stoves with various special functions. Choose between a low, basic or high model, as well as a number of added options. All variants are based on the same combustion chamber and come in two variants; one with and one without side glasses. Scan 65-1 and 2 are the basic models in the series, it is medium-sized and has a tight, rectangular design.

The door has an elegant handle and a smart soft-close function. Soft-close makes the door close gently, quietly and safely. On the more practical side; Scan 65 can be placed only 5 cm from the combustibile wall, has an ash solution and a storage space behind the door in the shelf.



*Scan 65-1. The glass door is made of cast iron. Delivered in black or grey paint.*



*Elegant handle in black aluminum.*



*Scan 65-2 has side glasses in addition to glass in the door. Delivered in black or grey paint.*

HxWxD:

Scan 65-1/2 Low Base: 1000x490x380 mm

Scan 65-1/2 Basic: 1132x490x380 mm

**Weight:** 118 - 162 kg

**Nominal output:** 6 kW

**Energy Class:** Without side glasses **A+** With side glasses **A**

This product is DEFRA exempt and suitable for use in smoke control areas



SCAN 65-SERIES

SCAN 65-SERIES



*Scan 65 can be placed 5 cm from combustible wall*



*Scan 65-1 Low Base.  
Available in black paint.*



*Scan 65-2 Low Base with side  
glasses. Available in black paint.*



*Scan 65-9 and 10 High Top  
are varieties with an extra high top.  
Delivered in black paint.*

*As an option for the High Top  
variants, you can choose the Heat  
Storage System. This provides extra  
heat for up to 12 hours after the last  
log has been placed.*

The low models, Scan 65-1 and 2 Low Base, has a compact design and is a good choice for smaller rooms.



SCAN 66-SERIES



## SCAN 66

# INNOVATIVE DETAILS

The Scan 66 series has been given a wonderful organic shape that creates a playful and beautiful frame around the fire. This is a wood burning stove that really attracts attention. The shape of the combustion chamber means that this stove has a great flame appearance. Ashtray is included.

The Scan 66 series has been given several crystal clear design details; a unique log guard in glass, which maximizes the visibility of the beautiful flames.

The handle and air valves are made of tempered glass which is beautifully curved and comfortable to touch.

Scan 66 is available with different bases - each with its own unique expression - choose between black and white paint.



*Scan 66-2 stands on an elegant pillar. Here in white paint.*



*Scan 66-4 has a square base. Here in black paint.*



*Scan 66-5 black paint. The shape of the base is taken from the Scan logo.*

### HxWxD:

Scan 66-2: 947x481x382 mm

Scan 66-4: 947x481x380 mm

Scan 66-5: 943x1037x337 mm

**Weight:** 100 kg

**Nominal output:** 5 kW

**Energy Class:** **A**

This product is DEFRA exempt and suitable for use in smoke control areas

SCAN 66-1

## FLAMES ARE NOT SQUARE

In folklore, this is simply called "the egg". Scan 66-1 has taken inspiration from nature. The wood stove's organic shape embraces the flames in a beautiful and holistic way. When you hang it on the wall, the design gets maximum space and is highlighted as a natural work of art.

Scan 66-1 has several innovative glass details. The most striking is the log stopper, which is made of clear glass to maximize the visibility of the flames. The handle and air valves are in ceramic, sandblasted glass. The wood-burning stove has an ash drawer and comes in beautiful white or black lacquer, the choice is yours.



*A work of art on the wall. Scan 66-1 in black paint.*



*Scan 66 has handles, air regulators and log stopper in ceramic, sandblasted glass.*



*Scan 66-1 in white paint.*

HxWxD: 630x481x337 mm

Weight: 90 kg

Nominal output: 3-7 kW

Energy Class: **A**

This product is DEFRA exempt and suitable for use in smoke control areas





SCAN 66-1 WALL




SCAN 66-SERIES

*Scan 66-5 white paint. Space for firewood in the base.*



*Scan 66-4 black paint.*

*The renowned Danish designers Harrit and Sørensen have delivered a playful design with innovative features*



*Scan 66-2 white paint.*

# ENVIRONMENTALLY FRIENDLY HEAT IN FOCUS

Scan has a goal of developing wood-burning stoves that burn cleaner and more sparingly than any other. We are constantly working to increase the efficiency of combustion and to meet the strictest international requirements. We are therefore very proud to be one of the wood stove manufacturers that has achieved the most approvals worldwide.

## CLEAN BURN

This means that the fireplace has a dual combustion system that converts up to 90% of the gases and particles in smoke to heat. This provides the absolute minimum level of smoke emission because the fireplace uses the energy to give heat instead of smoke.

## CLOSED COMBUSTION

Products with closed combustion system takes air through a separate air channel directly from the combustion chamber and through an outside wall or through the floor.


## 40 % LESS WOOD

Modern wood stoves have 40% more efficient combustion and 90% less emissions than old fireplaces.

## ENERGY LABELLING


The Ecodesign and Ecolabelling Directive are two instruments initiated by the EU. They aim to reduce the environmental impact of energy-related products throughout the life cycle.

This makes it possible to choose the most energy efficient wood stove on the market. Labelling our products with energy efficiency class helps you choose the most energy efficient wood stove, with the lowest operating cost and impact on the environment. This is so that you can make your best choice for the present, the future and the environment.



## EXTRA HEAT STORAGE

The unique Heat storage system allows the heat to continue for up to 12 hours after the last load of firewood.



Scan's heat storage system is a combination of materials and a technical design that ensures maximum heat effect long after the fire has been extinguished.

The heat storage system is compact and hidden in the top of the wood burning stove. The heat accumulating material captures the heat produced in the combustion chamber. Firing with an open valve provides fast heating. When the valve is closed, the heat is stored and the heat dissipation is extended by up to 12 hours.

SCAN 68-SERIES



## SCAN 68

# ELLIPTICAL SHAPED

The organic elliptical shape is a hallmark of the Scan 68 series. This is one of our really big product families. Simply explained - around the beautifully shaped combustion chamber we have created a variety of bases where you are guaranteed to find a favorite that suits you.

You can choose between a low, basic, high, column, open or closed plinth in either black or white paint. Choose black or glossy aluminum on handles and trim. All models have ash drawers. Air control handles are located on the side of the stove.



*Scans 68-13 and 14 are available in black or white paint. Choose trims and handles in black or glossy aluminum.*



*Detail from the top of the stove.*



*Scans 68-3 and 4 are available in black or white paint. Choose trims and handles in black or glossy aluminum.*

SCAN 68-SERIES



HxWxD:

Scan 68-3/4/9/10: 1272x500x371 mm

Scan 68-11/12/13/14: 1222x500x371 mm

Scan 68-13 LB: 1000x500x371 mm

Scan 68-13/14 High Top: 1650x500x371 mm

Weight: 105 - 110 kg

Nominal output: 5 kW

Energy Class: without side glasses: **A+**

with side glasses: **A**

This product is DEFRA exempt and suitable for use in smoke control areas



The perfect proportions, straight lines and the combination of glass and aluminum emphasize the Danish design origin. The design is made with respect for both the aesthetic and the practical role that the wood burning stove has in your home. The integrated handle makes operation as easy as the design is simple.



*Scan 68-13 Low Base has a door in the base, trims and handles in black.*



*Scans 68-13 and 14 have a door in the base and trims in black or glossy aluminum*



*Scans 68-11 and 12 have an open base and trims in black or glossy aluminum*



*Scan 68-13 and 14 High Top is a variant with an extra high top. Trims in black or glossy aluminum.*



*Choose between trims in black or glossy aluminum*



*Scans 68-3, 4, 9 and 10 are placed on a column and have trims in black or glossy aluminum. You also get this with side glasses.*

## SCAN 68 WALL

# A PIECE OF JEWELLERY ON THE WALL

Here we let the designers speak for themselves:

"As for this, we wanted to design a wall-mounted stove, at the same time as it should be suitable for smaller rooms.

The organic elliptical shape is related to the human body, and by using this design element, the stove appears as a whole, and gives a perfect expression. The result is a wood burning stove which is designed as a decoration for the wall."

Scan 68 wall is available in black or white paint and ash drawer is standard.



*Scan 68-2 has access to the fire in the front, aluminum trims and is delivered in black or white paint.*



*Choose between handles and trims in black or glossy aluminum.*



*Scan 68-7 and 8 have side glasses, trims in black or glossy aluminum and comes in black or white paint.*

HxWxD: 794x500x400 mm

Weight: 98 kg

Nominal output: 5 kW

Energy Class: without side glasses **A+** with side glasses **A**

This product is DEFRA exempt and suitable for use in smoke control areas





SCAN 68 WALL

SCAN 80-SERIES



## SCAN 80

# BEAUTIFUL PRISM SHAPE

Scan 80 has a beautiful prism shape that gives 180° visibility to the flames. In the Danish design tradition, much of the design lies in the detail, and Scan 80 has the handle elegantly "hidden" between the glass and the base.

Scan 80-3 and 4 are the tall models in the series. An ingenious solution is that you can hide the flue pipe in the High Top module on the corner model, and you get a clean design without any disturbing elements. The high top can also be used for heat-storing stones, which give off heat up to 12 hours after the last log has been placed on the fire.

Models available with a closed base in both black and white paint, while the variant with a door in the base is only available in black lacquer. All models are equipped with an ashtray.



*Scan 80-1 has a closed base and is available in black or white paint.*



*Elegant placement of handles.*



*Scan 80-4 black paint has a base with door with a practical storage space.*

SCAN 80-1 / SCAN 80-4

HxWxD: 1351x385x385 mm / 1670x385x385 mm

Weight: 105 kg / 110 kg

Nominal output: 6 kW

Energy Class: **A+**

This product is DEFRA exempt and suitable for use in smoke control areas

## SCAN 83

# EVERYTHING IS IN THE DETAIL

The gorgeous design behind Scan 83 puts the beautiful flames in focus and gives you the opportunity to create your own style around the natural gathering point. Every detail is well thought out; the rounded glass door provides a beautiful view of the flames and has a quiet soft-close function. The handle is positioned so that the simple design is perfect and the temperature is always kept cool. The firebed is deep and provides plenty of space for the wood and you avoid ash spills. In addition, the wood-burning stove has a practical ash drawer with a lock that provides extra safety.



*Scan 83-1 here in white paint and black handles and trims.*



*Traction adjustment is placed discreetly next to the handle.*



*Scan 83-1 with grey paint and black handles and trims.*

### HxWxD:

Scan 83-1/2: 1200x460x460 mm

Scan 83-3/4 Maxi: 1410x460x460 mm

**Weight:** 117 - 212 kg

**Nominal output:** 5 kW

**Energy Class:** **A+**

This product is DEFRA exempt and suitable for use in smoke control areas



SCAN 83-SERIES

SCAN 83-SERIE



*Scan 83 also comes with a higher top and soapstone*



**HxWxD:**

Scan 83-1/2: 1200x460x460 mm

Scan 83-3/4 Maxi: 1410x460x460 mm

Scan 83-5/6 Soapstone: 1235x460x460 mm

Scan 83-6/7 Maxi soapstone: 1446x460x460 mm

**Weight:** 117 - 212 kg

**Nominal output:** 5 kW

**Energy Class:** **A+**



*Scan 83-2 has black paint and glossy aluminium handles and trims.*



*Scan 83-5 has soapstone and black handles and trims.*



*Scan 83-8 Maxi has soapstone and glossy aluminium handles and trims.*



*Scan 83-3 white paint Maxi has black handles and trims.*



*Scan 83-2 white paint has glossy aluminium handles and trims*

*As an option for the Maxi variants, the Heat Storage System can be installed. These are heat storing stones that provide extra heat for up to 12 hours after the last log has been placed.*

SCAN 84-SERIES





## SCAN 84 - NEW PRODUCT

# HEAT WITH A PERSONAL TOUCH

The Scan 84 series has clean lines and an almost architectural design – playful, yet discreet. The series consists of 4 models, where the variations are the choice between two different heights and a door in either exquisite black glass or steel surface. The door has a soft-close function that ensures that it closes softly and quietly. A decorative plate for the stove (accessory) combines the rough steel in a beautiful way with inviting either an elegant black glass or soapstone.



*Scan 84 Modern has an exclusive glass front and is available in black, grey or white paint.*



*The handle in solid oak stays cool during firing.*



*Scan 84 Classic Maxi has a glass door with a steel front and is available in black or grey paint.*

This series has several possibilities for additional details to raise design and function one more level; The stove can be mounted on a rotating base, so you can rotate the whole stove and enjoy the fire from your favorite spot in the room. The tall variants in the series, Scan 84-3 and 4, can be equipped with heat retaining stones hidden the top. These provide extra heat for up to 12 hours after the last log has been placed.

SCAN 84-SERIES



*The minimum distance to combustibile material is only 45 cm to the side and 10 cm to the back.*



HxWxD 1250x493x464 mm

Weight: 122 kg

Nominal output: 5 kW

Energy class: **A+**

HxWxD: 1593x493x464 mm

Weight: 137 kg

Nominal output: 5 kW

Energy class: **A+**


This product is DEFRA exempt and suitable for use in smoke control areas



Scan 84 Classic is available in black or grey paint.



Scan 84 Modern Maxi is available in black, grey or white paint.



Choose between glass or soapstone top (accessory).



Personalise the shade of the oak handle to your taste (accessory)  
 (1) white washed (2) golden (3) mocca

The solid black oak handle follows the clean design of the stove perfectly and ensures that the temperature is always kept cool. Choose from three different colour tones for the handle (accessory). It gives you the freedom to create interior details that can beautify your home for many years, or exchanged to match your interior decor.

SCAN 85-SERIES



## SCAN 85

# EFFICIENT HEAT AN EXCLUSIVE DESIGN

Scan 85 spreads the heat quickly over a large area while the simple design is gorgeous and gives a beautiful view of the fire. If you are looking for a lot of heat, Scan 85 is a good choice.

The hollow-shaped combustion chamber gives the fire optimal conditions. Here you get a large, curved glass with a unique view of the flames. The large door slides on rails along the stove when opened.

Scan 85 is available in different heights; basic, high top or high base, or the extra high Maxi variant. You can choose between black, grey and white paint as well as trims and handles in black or aluminum.



*Scan 85-1. Here in white paint with black trims and handles.*



*Large combustion chamber, deep furnace bottom and large ash drawer and riddling grate.*



*Scan 85-1 in black paint with black handles and trims.*

HxWxD: 1464x520x520 mm

Weight: 210 kg

Nominal output: 8 kW

Energy Class: **A**

SCAN 85-SERIES



*Scan 85 is a wood-burning stove that heats large areas*



**HxWxD:**

Scan 85-3/4 Maxi: 1864x520x520 mm

Scan 85-5/6 High Top: 1664x520x520 mm

Scan 85-7/8 High Base: 1664x520x520 mm

**Weight:** 220 - 229 kg

**Nominal output:** 8 kW

**Energy Class:** A



*Scan 85-3 Maxi has a high base and high top. Available in black, grey and white paint*



*Scan 85-4 Maxi has a high base and high top. Available in black, grey and white paint.*



*Scan 85-8 has a high base and low top. Here in black paint with trims and handles in aluminum.*

*As an option for the Maxi and High Top variants, the Heat Storage System can be installed. These are heat storing stones that provide extra heat for up to 12 hours after the last log has been placed.*



*Scan 85-6 has a low base and a high top. Here in grey paint with trims and handles in aluminum.*

SCAN 87





SCAN 87 - NEW PRODUCT (Release to be confirmed)

## LIKE WALKING INTO A WARM EMBRACE

'Sometimes you want go all in!' Scan 87 is a large stove that gives you lots of heat, a heavy and solid impression and becomes the natural focus of the room. The series consists of two variants; Scan 87-1 which stands as a solid monolith on the floor and the wall-mounted Scan 87-2 where the flames appear to almost float picturesquely.

The gaze is naturally drawn to the eye-catching glass guillotine door that presents the flames in a bright combustion chamber with 160 degree vision. The distinct, curved joints in the construction and the smoke coloured glass details; with the cool glass handle and the rounded ash lip, offer design and functionality fused together.



*Scan 87 Freestanding is a floor model in black paint.*

**HxWxD:** 1886x699x630 mm

**Weight:** 273 kg

**Nominal output:** 11,5 kW

**Energy class:** **A+**



*Guillotine door and 160 degree view to the fire*



*Scan 87 Wall is delivered in black paint.*

**HxWxC:** 1491x699x680 mm

**Weight:** 250 kg

**Nominal output:** 11,5 kW

**Energy class:** **A+**

BEFORE BUYING A WOOD STOVE



# BEFORE BUYING A WOOD STOVE

For most of us, a wood-burning stove is a big investment that we want to last for many years. It is therefore important to check out the conditions in your home before deciding.

## SAFETY

Our approvals are your guarantee that your wood-burning stove has been thoroughly tested and checked. All products are tested in terms of safety and function. We therefore automatically give a 5-year warranty(excluding consumable items) right to claim. Selected authorised Scan dealers are available with further technical information regarding installation and service etc. See also [www.scan-stoves.co.uk](http://www.scan-stoves.co.uk)

## INFORMATION ON INSTALLATION

To avoid installing the stove incorrectly and to ensure correct use, it is important to follow the assembly and instructions manual carefully.

We recommend that the installation is performed by an authorised Scan fitter to ensure optimum function and safety of the installation.

Information on Scan dealers can be found at [www.scan-stoves.co.uk](http://www.scan-stoves.co.uk).

As the house owner you are responsible for ensuring that installation and fitting are carried

out in accordance with national and local building regulations as well as the information provided in the assembly and instructions manual.

The installation must be carried out by a HETAS engineer or signed off through your local building control inspector.

As the house owner you must register the installation of a new fireplace with your local building authorities (always respect the national rules in your country).

## APPROVAL

A wood-burning stove must be safe when in use, easy to operate and protect the environment.

It is therefore a good idea if the stove does not just meet the national standards and requirements, but surpasses them.

## QUALITY

All Scan stoves are characterised by their high quality and are produced from the best possible materials. We conduct a thorough goods inwards inspection of raw materials

and final inspection of the product. Via a registration number, it is possible to trace the origin of the stove which makes ordering spare parts easier.

Unique details such as a cool handle, efficient air wash and simple operation are quality features - and make lighting and stoking much easier.

## SIZE

It is important to get a stove that is proportioned for the area it has to heat.

## CLEARANCE

Take note of the applicable regulations regarding clearances to combustible material and the correct floor covering.

The authorised Scan dealer will be happy to advise you on the regulations.

SCAN 1003 / 1004



SCAN 1003 / SCAN 1004

## DISCREET AESTHETICS

The discreet and exclusive built-in model Scan 1003 and 1004 are available in classic black or black steel door option.

A cool glass handle on the door completes the pure expression and separates the model from its competitors on the market. The insert distributes the heat optimally and gives you a wide screen view to the fire. Scan 1003 takes logs up to 50 cm and Scan 1004 takes logs up to 65 cm.



Scan 1003 with front in black glass.



Scan 1004.



Scan 1004 with black steel front.

SCAN 1003

HxWxD: 566x650x438 mm

Weight: 103 kg

Nominal output: 7,2 kW

Energy Class: **A+**

SCAN 1004

HxWxD: 470x800x438 mm

Weight: 108 kg

Nominal output: 8 kW

Energy Class: **A+**

SCAN 1005 / 1006



SCAN 1005 / SCAN 1006

## CONTEMPORARY AND EXCLUSIVE

The discreet and exclusive series of built-in inserts Scan 1005 and 1006 are available in either modern black glass or black steel door. The glass handle completes the design and keeps it cool during the entire firing. The inserts spread the heat optimally and give you a widescreen view of the flames.



*Scan 1005 with front in black glass.*



*Guaranteed cosiness with Scan 1006.*



*Scan 1006 with black steel front.*

Scan 1005 and 1006 both have the same beautiful design, smart solutions and the same good firing properties. What distinguishes the models from each other is that the Scan 1006 has a 15 cm wider insight into the flames.

These fireplace inserts are perfect if you want to install a new fireplace in an existing open fireplace. The size is adapted to the standard dimensions, which makes installation as easy as possible. You also have the option of ordering cover frames around the fireplace insert, completely tailored to your needs.

SCAN 1005

HxWxD: 470x650x438 mm

Weight: 99 kg

Nominal output: 6 kW

Energy Class: **A+**

SCAN 1006

HxWxD: 470x800x438 mm

Weight: 116 kg

Nominal output: 7 kW

Energy Class: **A+**

SCAN 1008





SCAN 1008

## NORDIC HEAT

Scan 1008 fireplace insert gives the living room an exclusive and modern Nordic look. The fireplace insert can be built into your self-designed fireplace dream, and is especially practical for installation on an outer corner.

The glass in the door is bent and the sight of the flames is completely unobstructed by joints. In true Danish design tradition; the handle, controls and all technical details are elegantly hidden inside the stove to give a clean and beautiful look.

All details are well thought out - even the ash emptying is made easy with an integrated ash drawer. Ventilation grills adapted to the product are available in black and white paint.



*Air control and separate ignition valve.*



*Scan 1008 has a front in black glass.*



*The glass is made in one piece, completely without joints.*

HxWxD: 1096-1106x424x424 mm

Weight: 82 kg

Nominal output: 6 kW

Energy Class: **A+**

SCAN 5001



SCAN 5001

## VERTICAL HEAT

Scan 5001 is a vertical fireplace insert with a large glass door and black frame. The large view of the flames means that the fireplace insert can dominate the room. The fireplace is easy to operate and the door opens elegantly with a beautiful handle in brushed steel.

In addition, you can equip this fireplace insert with extra heat-storing stones, hidden in the top chamber, which provides extra heat for up to 12 hours after the last log has been laid.



HxWxD: 1052x509x453 mm

Weight: 122 kg

Nominal output: 5 kW

Energy Class: **A+**

*Scan 5001: Flames in height format*

SCAN 5002



SCAN 5002

## LARGE GLASS PANES

Scan 5002 radiates a simple elegance that gives the expression that "less is more." The horizontal fireplace insert provides a wide view of the fantastic flames. The fireplace insert is easy to light and burns very effectively.

You can also install extra heat-storing stones in both fireplace inserts. These are hidden in the top chamber and provide extra heat for up to 12 hours after the last log has been placed.



*Scan 5002 has a glass door with horizontal flame image.*



*Brushed steel handle.*

HxWxD: 972x677x397 mm

Weight: 135 kg

Nominal output: 4,8 kW

Energy Class: **A+**

SCAN 5003



## SCAN 5003

# WIDE VISIBILITY

With its simple and clean design, the Scan 5003 fits into any home.

The fireplace insert has glass on two sides and will be mounted on a corner. The frame around the fireplace can either be stylish 90 degrees, or added to the experience of extra depth with a 45 degree frame.

You can also install extra heat-storing stones in both fireplace inserts. These are hidden in the top chamber and provide extra heat for up to 12 hours after the last log has been placed.



*Scan 5003 comes with glass on two Sides. Choose between side glass on the right or left side.*



*Brushed steel handle.*

HxWxD: 1031x638x389 mm

Weight: 128 kg

Nominal output: 7,8 kW

Energy Class: **A+**

SCAN 5004 FR / FL

## EXCLUSIVE AND LARGE FIREPLACE INSERT

Scan 5004 is a large insert with glass on two sides; front and left (FL) or front and right side (FR).

A beautiful lifting door with a soft-close closing mechanism means that the door closes quietly and elegantly. Build the insert into a frame that suits your style.

The possibilities are many and it can be placed in your favourite corner or as a room divider.



*Scan 5004 FR has glass in the front and right side.*



*Scan 5004 FL has glass in the front and left side.*

HxWxD: 1357x876x628 mm

Weight: 241 kg

Nominal output: 6,9 kW

Energy Class: **A+**

The fireplace insert has a bright and inviting combustion chamber in chamotte stone which gives an extra delicate flame. In addition, you can equip this fireplace insert with extra heat-storing stones, hidden in the top chamber, which provides extra heat for up to 12 hours after the last log has been laid.





SCAN 5004 FL / FR



SCAN 5004 FRL



## SCAN 5004 FRL

# GLASS ON THREE SIDES

The Scan 5004 FRL fireplace insert will be the new eye-catcher in your living room. It has a smart lifting door with glass on three sides, and the light burning plates serve the flames in 180 degrees.

The wood-burning stove has a soft-close closing mechanism that silently dampens and closes the door for you the last millimeters. This large combustion chamber holds logs of up to 40 cm.

Use it as a room divider or in a fireplace frame according to your own design.



*Scan 5004 FRL is a great insert that gives a feeling of luxury.*



*Elegant handle for the guillotine door.*

HxWxD: 1342x807x567 mm

Weight: 218 kg

Nominal output: 7,8 kW

Energy Class: **A+**

Hidden in the top chamber, you can equip this fireplace insert with extra heat-storing stones that keep providing extra heat for up to 12 hours after the last log has been laid.

SCAN DSA 12



## SCAN DSA 12

# HEAT FROM SEVERAL SIDES

The great thing about Scan DSA 12 is that it has a transparent and large glass door on both sides. The visibility of the flames is perfect, completely unobstructed by internal parts. The fireplace insert is narrow and is well suited as a room divider or installed between two rooms. It appears as a living painting on the wall and the heat is optimally distributed.

Every little detail in this beautiful product has a streamlined and innovative design. Scan DSA 12 has a functional door handle that aligns with the front of the fireplace insert. The fireplace insert can be opened from both sides, or you can lock the door you use the least.



Scan DSA 12 takes logs of 45 cm.



Fireplace insert with glass on both Sides and full transparency. The doors can be opened from both sides, but one side can be locked if desired.

HxWxD: 989x840x460 mm

Weight: 210 kg

Nominal output: 9 kW

Energy Class: **A+**

# TECHNICAL DATA






- = standard
- = option \*)
- ▲ = extras


\*) see further details in the manual on scan-stoves.co.uk

\*\*) placed vertically

Some options can be at a supplementary price.

We refer to the manuals for distances to combustible materials

Free Standing Stoves	Scan 41-1	Scan 41-2	Scan 65-1	Scan 65-2	Scan 65-1/2 Low Base
(according to EN 13240):					
EN nominal performance (kW)	6	6	6	6	6
Efficiency (%)	82	79	82	79	82/79
Emission (% CO at 13% O2)	0,08	0,1	0,08	0,1	Scan 65-1) 0,08 Scan 65-2) 0,1
Distance to combustible materials uninsulated start section, Sides/rear/corner (mm) (A/B/C). For revolving stoves, see the manual	350/150/100	500/150/250	350/150/100	500/150/250	(Scan 65-1) 350/150/100 (Scan 65-2) 500/150/250
<b>Other Properties:</b>					
Max. log length (cm)	30	30	30	30	30
Weight (kg)	119	119	123	123	115
Dimensions HxWxD (mm) *	1136x490x 371	1136x490x 371	1131x490x 380	1131x490x 380	1000x490x 380
Height to the middle of flue outlet rear (mm):	1010	1010	1011	1011	880
Height to the beginning of flue pipe at top outlet (mm):	1107	1107	1110	1110	979
Fire box opening HxB (mm)	326x364	326x364	326x364	326x364	326x364
Flue outlet (mm)	Ø 150	Ø 150	Ø 150	Ø 150	Ø 150
Clean Burn	●	●	●	●	●
<b>Approvals:</b>					
EN 13240	●	●	●	●	●
NS 3058	●	●	●	●	●
DEFRA	●	●	●	●	●
<b>Appearance:</b>					
Black	□	□	□	□	□
Grey	-	-	□	□	□
Glossy white (GWH)	-	-	-	-	-
Side windows	-	●	-	●	(Scan 65-2) ●
<b>Extra accessories:</b>					
Top plate soap stone	-	-	-	-	-
Heat accumulating stones	-	-	-	-	-
Shaped floor plate glass	▲	▲	▲	▲	▲
Shaped floor plate steel	▲	▲	▲	▲	▲
Front panel for base in black, grey or white	-	-	-	-	-
Option of closed combustion system *)	●	●	●	●	●
QR-CODE:					
Scan the QR-code and find all information and technical documentation online.					



**Measurement drawing:**

The most standard clearances to combustible material are shown in the table, in which the measurements are referred to as A, B and C. See [scan-stoves.co.uk](http://scan-stoves.co.uk) for further information.

	Scan 66-1	Scan 66-2 Scan 66-4	Scan 66-5	Scan 68-1/2 Scan 68-7/8 Wall	Scan 68-3/4	Scan 68-9/10/11/12	Scan 68-13 Scan 68-14	Scan 68-13/14 Low Base
	5	5	5	5	5	5	5	5
	78	78	78	79	80	79	79	79
	0,03	0,03	0,03	0,04	0,04	0,04	0,04	0,04
	Sides 300	300/150/150	300/150/150	400	450/100/100	500x150x350	400x150x100	400x150x100
	33	33	33	33	33	33	33	33
	90	100	120	98	105	105	110	110
	630x481x 337	946,5x481x 337	943 x1037x 337	794x500x 391	1272/1222x 500x350	1272/1222x 500x350	1222x500x 350	1000x500x 350
	From top 148,5	799	796	681	1160/1110	1160/1110	1110	1000
	-	885	881	776	1255/1205	1255/1205	1205	1205
	239x340	239x340	239x340	310X303	310X303	310X303	310X303	310X303
	Ø 150	Ø 150	Ø 150	Ø 150	Ø 150	Ø 150	Ø 150	Ø 150
	●	●	●	●	●	●	●	●
	●	●	●	●	●	●	●	●
	●	●	●	●	●	●	●	●
	●	●	●	●	●	●	●	●
	□	□	□	□	□	□	□	□
	-	-	-	-	-	-	-	-
	□	□	□	□	□	□	□	□
	-	-	-	(Scan 68-7/8) ●	-	●	-	-
	-	-	-	▲	▲	▲	▲	▲
	-	-	-	-	-	-	-	-
	-	(Scan 66-2) ▲	▲	▲	▲	▲	▲	▲
	-	(Scan 66-2) ▲	▲	▲	▲	▲	▲	▲
	-	-	▲	-	-	-	-	-
	●	●	●	●	●	●	●	●

# FREE STANDING STOVES







- = standard
- = option \*)
- ▲ = extras

\*) see further details in the manual on scan-stoves.co.uk


\*\*) placed vertically

Some options can be at a supplementary price.

We refer to the manuals for distances to combustible materials

Free Standing Stoves (according to EN 13240):	Scan 68-13 Scan 68-14 High Top	Scan 68-15 Scan 68-16	Scan 68-15 Scan 68-16 Low Base	Scan 80-1/2	Scan 80-3/4	Scan 83-1/2 Scan 83-5/6
EN nominal performance (kW)	5	5	5	6	6	5
Efficiency (%)	79	79	79	84	84	81
Emission (% CO at 13% O <sub>2</sub> )	0,04	0,04	0,04	0,06	0,06	0,07
Distance to combustible materials uninsulated start section, Sides/rear/corner (mm) (A/B/C). For revolving stoves, see the manual	400x150x100	400x150x100	400x150x100	450x100x200	450x100x200	400/100/100
<b>Other Properties:</b>						
Max. log length (cm)	33	33	33	25	25	35 **)
Weight (kg)	130	190	110	105	110	117-186
Dimensions HxWxD (mm) *)	1650x500x 366	1257x586x 373	1035x586x 371	1351x 385x385	1670x 385x385	1200x460x460
Height to the middle of flue outlet rear (mm):	1110	1110	1000	1205,5	1567	1064
Height to the beginning of flue pipe at top outlet (mm):	1205	1205	1205	1349	1349	1162
Fire box opening HxB (mm)	310X303	310X303	310X303	447x258	447x258	388x353
Flue outlet (mm)	Ø 150	Ø 150	Ø 150	Ø150	Ø150	Ø 150
Clean Burn	●	●	●	●	●	●
<b>Approvals:</b>						
EN 13240	●	●	●	●	●	●
NS 3058	●	●	●	●	●	●
DEFRA	●	●	●	●	●	●
<b>Appearance:</b>						
Black	□	□	●	●	●	□
Grey	-	-	-	-	-	□
Glossy white (GWH)	□	□	-	(Scan 80-1) □	(Scan 80-3) □	(Scan 83-1/2) □
Soap stone	-	●	●	-	-	(Scan 83-5/6) □
Side windows	-	-	-	-	-	-
<b>Extra accessories:</b>						
Top plate soap stone	▲	●	●	-	-	(Scan 83-5/6) ▲
High top element	●	-	-	-	-	-
Heat accumulating stones	▲	▲	-	-	▲	-
Shaped floor plate glass	▲	▲	▲	▲	▲	▲
Shaped floor plate steel	▲	▲	▲	▲	▲	▲
Option of closed combustion system *)	●	●	●	●	●	●
QR-CODE:  Scan the QR-code and find all information and technical documentation online.						










**Measurement drawing:**  
 The most standard clearances to combustible material are shown in the table, in which the measurements are referred to as A, B and C. See scan-stoves.co.uk for further information.

	Scan 83-3/4 Scan 83-7/8	Scan 84	Scan 84 Maxi	Scan 85-1 Scan 85-2	Scan 85-3 Scan 85-4 Maxi	Scan 85-5 Scan 85-6 High-top	Scan 85-7 Scan 85-8	Scan 87 Floor Scan 87 Wall
	5	5	5	8	8	8	8	11,5
	81	81	81	78	78	78	78	84
	0,07	0,07	0,07	0,06	0,06	0,06	0,06	0,07
	400/100/100	400/100/100	400/100/100	600/100/100	600/100/100	600/100/100	600/100/100	800/50/300
	35 **)	35 **)	35 **)	50 **)	50 **)	50 **)	50 **)	40 **)
	125-212	122	122	210	229-319	220-310	220	273 / 250
	1410x460x460	1250x464x464	1593x464x464	1464x520x520	1864x520x520	1664x520x520	1664x520x520	1832x699x699 1491x699x699
	1064	1116	1547	1347	1547	1347	1547	1712 / 1317
	1162	1250	1864	1442	1642	1252	1452	1832 / 1491
	388x353	388x353	388x353	447x327	447x327	447x327	447x327	447x327
	Ø 150	Ø 150	Ø 150	Ø 150	Ø 150	Ø 150	Ø 150	Ø 200
	●	●	●	●	●	●	●	●
	●	●	●	●	●	●	●	●
	●	●	●	●	●	●	●	●
	●	●	●	-	-	-	-	-
	□	□	□	□	□	□	□	●
	□	□	□	□	□	□	□	-
	(Scan 83-3/4) □	84 Modern □	84 Modern) □	□	-	□	□	-
	(Scan 83-7/8) ●	●	●	-	-	-	-	-
	-	-	-	-	-	-	-	-
	(Scan 83-7/8) ▲	▲	▲	-	-	-	-	-
	-	-	▲	-	● (BP only)	●	-	-
	▲	▲	▲	-	▲	▲	-	-
	▲	▲	▲	▲	▲	▲	▲	▲
	▲	▲	▲	▲	▲	▲	▲	▲
	●	●	●	●	●	●	●	●
								Release to be confirmed








# INSERTS

Inserts							
(according to EN 13229)	SCAN 1003-B wall	SCAN 1003-B	SCAN 1003 VE	SCAN 1004 VE	SCAN 1005 VE	SCAN 1006 VE	
EN nominal performance (kW)	7	7	7,2	8	6	7	
Efficiency (%)	82	82	80	80	84	82	
Emission (% CO at 13% O2)	0,07	0,07	0,07	0,07	0,07	0,07	
Distance to combustible materials uninsulated start section, Side/rear/corner (mm) (A/B/C)		400/150/50					
<b>Other Properties:</b>							
Max. log length (cm)	50	50	50	65	50	65	
Weight (kg)	135	174,5	103	108	99	116	
Dimensions HxWxD (mm)	572x649x479	965x649x479	570x650x438	570x800x438	470x650x438	470x800x438	
Height to the beginning of flue pipe at top outlet (mm):	472,5	873	489	489	489	489	
Fire box opening HxB (mm)	334 x 521	334 x 521	334x521	334x671	256x521	265x671	
Flue outlet ext./int. flue pipe (mm)	Ø150	Ø150	Ø148/144	Ø148/144	Ø148/144	Ø148/144	
Flue outlet ext. Flexible pipe (mm)							
Clean Burn	●	●	●	●	●	●	
<b>Approvals:</b>							
EN 13229	●	●	●	●	●	●	
NS 3058	●	●	●	●	●	●	
DEFRA	-	-	-	-	-	-	
<b>Stove colour:</b>							
Black paint	●	●	□	□	□	□	
Black glass			□	□	□	□	
<b>Extra accessories:</b>							
Floor plate glass	▲	▲	-	-	-	-	
Heat accumulating stones	-	-	-	-	-	-	
Trim black	□	□	-	-	-	-	
Trim grey	-	-	-	-	-	-	
Trim chrome	□	□	-	-	-	-	
Convection	-	-	-	-	-	-	
Convection / heat shield	-	-	-	-	-	-	
Frame	-	-	-	-	-	-	
Possibility for fresh air inlet in the convection channels **)	-	-	-	-	-	-	
Option of closed combustion system **)	●	●	●	●	●	●	
Small/large module boxes (incl. magnets)	▲	▲	-	-	-	-	
Plinth for small/large module	-	▲	-	-	-	-	
Inside protection glass for modules	▲	▲	-	-	-	-	
Extra magnets	▲	▲	-	-	-	-	
Small/large wall bracket	▲	-	-	-	-	-	
QR-CODE:							
Scan the QR-code and find all information and technical documentation online.							

- = standard
- = option \*)
- ▲ = extras

\*) see further details in the manual on scan-stoves.co.uk  
 \*\*) placed vertically

Some options can be at a supplementary price. We refer to the manuals for distances to combustible materials

	SCAN 1008	SCAN 5001	SCAN 5002	SCAN 5003	SCAN 5004 FRL	SCAN 5004 FR/FL	DSA 12
	6	5	4,8	5,7	7,8	6,9	9
	82	84	83	85	83	85	80
	0,06	0,09	0,08	0,08	0,09	0,07	0,09
	25	30	45	45	40	45	50
	84	105	117	115	210	241	210
	1096-1106x 405x405	1062x 509x462	892x 677x405	1033x 638x389	1342x 807x567	1357x 876x628	989x 840x460
		489	959	939	1086	1091	-
	447 x 258/258	375x332	375x502				295x550
	Ø150	Ø149/135	Ø149/135	Ø149/135	Ø200/175	Ø200/175	Ø179/175
	-	-	-	-	-	-	-
	●	●	●	●	●	●	●
	●	●	●	●	●	●	●
	●	●	●	●	●	●	●
	-	-	-	-	-	-	-
		●	●	●	●	●	●
		-	-	-	-	-	-
	-	-	-	-	-	-	-
	-	□	□	□	□	□	-
	-	-	-	-	-	-	●
	-	-	-	-	-	-	-
	-	-	-	-	-	-	-
	-	□	□	□	□	□	-
	-	□	□	□	□	□	-
	-	□	□	□	□	□	-
	-	-	-	-	-	-	-
	●	●	●	●	●	●	●
	-	-	-	-	-	-	-
	-	-	-	-	-	-	-
	-	-	-	-	-	-	-
	-	-	-	-	-	-	-
	-	-	-	-	-	-	-
	-	-	-	-	-	-	-
							



Dealer: